



PRINCIPAL CHARACTERISTICS

Classification	Built to RINA Pleasure Craft Rules	
Length overall	35.20m	115' 6"
Length waterline @ normal half load	27.47m	90' 1"
Beam (maximum)	7.33m	24' 0"
Draft @ full load	2.39m	7' 10"
Displacement @ normal half load	135,400kg	298,560 lb
Engine options	up to 5280PS	
Propulsion	Twin fixed-pitch submerged propellers in semi-recessed tunnels	
Generators	2 x 55kW 400/230v 3 phase 50Hz	
Standard fuel load capacity	14,450 litres	3,817 US gal.
Optional overload tank capacity	4,950 litres	1,307 US gal.
Total long range capacity (with optional tank)	19,400 litres	5,125 US gal.
Fresh water capacity	4,000 litres	1,055 US gal.
Black water capacity	1,340 litres	355 US gal.
Grey water capacity	1,255 litres	330 US gal.
Max speed (at normal half load)	up to 26 knots (subject to engine option)*	
Max range (with extended tank)	up to 1,250 nautical miles at 10-12 knots slow cruising speed (subject to engine option)*	

1 Deck Equipment, Anchor Deck and Wheelhouse Deck

Side bulwark door on port and starboard sides
 2 x anchor windlasses with hand control
 2 x hawses with roller, chain stopper and devil's claw
 2 x anchors with galvanised chain
 2 x mooring bollards and 4 x fairleads
 2 x fairleads with integrated bollards at mid-ships
 Anchor and chain wash down
 Fresh water deck wash with outlets forward and aft
 Handrails with stainless steel stanchions
 Safety glass side windows and windscreen
 Direct access from the wheelhouse and side deck stairs
 Teak-laid side decks and wheelhouse deck area
 Non-slip anchor deck area
 Low-level lighting alongside decks 24VDC
 Sunpads on wheelhouse deck
 Seating area with table
 Two pairs of marine speakers on wheelhouse deck
 Remote control spotlight located on wheelhouse roof
 Twin horns located on wheelhouse roof

2 Aft Cockpit and Bathing Platform and Stern Garage

Seating area
 Dining table
 Bar with stools
 Refrigerator
 Ice maker
 Teak stair treads to flybridge deck
 Teak-laid cockpit floor
 Teak-laid stair treads on port and starboard sides leading to bathing platform
 Teak-laid, hydraulic rise/fall and tilt bathing platform (fixed on outboard sides)
 Stainless steel framed sliding doors to main saloon
 Side deck door and stairs leading to engine room
 Overhead lighting
 Two pairs of marine speakers connected to saloon AV system
 2 x capstans
 2 x stainless steel bollards and 4 x fairleads
 2 x stern bollards on outboard fixed sides of bathing platform
 Hydraulic retractable gangway
 Power operated door leading to stern garage
 Stern garage (including recovery system) with storage for optional tender and two jet skis
 Bathing ladder
 Hot/cold water hand-held swimming shower
 Locker with dockside water and deck wash at the stern
 Locker with electrical shore power connection at the stern
 Television and telephone dockside connection at the stern
 Wetbar and stools

3 Flybridge Deck

Direct access from the wheelhouse and from the aft cockpit stairs
 Stainless steel framed windscreen
 GRP radar arch structure
 Lighting on underside of radar arch
 Low-level lighting
 Three pairs marine speakers
 Deckwash outlet
 Seating areas
 Dining table
 Wetbar unit
 Five fixed bar stools
 Sink with hot and cold water
 Fridge
 Icemaker
 Electric ceramic griddle
 Storage cupboard
 Stern safety rails

Safety rails around top of staircase
 Stainless steel ensign staff and socket
 Uplighters in wetbar

4 Flybridge Helm

Individual, manually adjustable pilot and co-pilot seats
 Steering position with wheel
 GRP console with dashboard panels
 Electronic controls for main engines
 Analogue engine instrumentation
 Bow thruster control
 Depth and speed display
 Rudder angle indicator
 Autopilot repeater
 Radar, chart plotter and GPS fed to 2 x PC repeater displays
 Magnetic compass
 VHF with DSC

5 Main Saloon

Aft sliding doors in stainless steel and safety glass
 Sliding door curtains
 Aft console units
 Assorted seating
 Armchairs
 Fitted carpet
 Coffee table
 Side glazing with curtains
 Side windows with blinds
 Television (55") on rise and fall
 Entertainment system with CD, DVD and Bluray
 LED overhead lighting
 Data point (RJ45)
 Telephone point with Dect phone linked to PABX
 Air conditioning
 AC 220v sockets

6 Dining Area

Dining table (for 10 people)
 10 x dining chairs
 Side console cabinets
 Chinaware, glassware and cutlery (12 settings)
 Side windows with blinds
 Data point (RJ45)
 Telephone point
 LED overhead lighting
 Table Lamps
 Air conditioning
 Fitted carpet
 Access on starboard side to main deck lobby
 Door to galley

7 Main Deck Starboard Side Lobby

Access from dining area leading to day head, main deck stateroom and crew lobby
 Stairs leading up to wheelhouse
 Stairs leading down to lower deck guest accommodation
 Watertight side door (manual) leading to starboard side deck
 LED overhead lighting
 Side window with blind
 Double 220v AC socket
 Fitted carpet

8 Raised Wheelhouse

Pilot seat with electric movement control
 Main engines electronic controls
 Analogue engine instrumentation
 Monitoring of boat systems via Tijssen Electro Marine Personal Assistance 'MPA'
 Trim tab control
 Bow thruster control
 Magnetic compass
 Radar, chart plotter and GPS fed to 3 x PC displays
 Transas electronic charting system
 Autopilot
 VHF with DSC and MF radio
 Inmarsat C
 Navtex receiver
 AIS
 Depth and speed monitoring via central navigation display
 Rudder angle indicator
 Windscreen wipers and glass washing system controls
 Demisting outlets for windscreen
 Searchlight control
 Data points x 3 (RJ45)
 Telephone points x 3 with 1 phone linked to PABX
 3 x double 220v AC sockets
 LED overhead lighting
 Air conditioning
 CD/radio with two speakers
 Chart table with storage and chart light
 Sofa seating area
 Table beside seating area
 Stairs leading to main deck
 Stairs and framed sliding door leading to flybridge deck

9 Galley

Side window with blind
 Safety flooring
 Stone worktops
 Twin bowl sink with tap
 Cabinets and top-box lockers
 Electric oven
 Microwave
 Full-height fridge
 Full-height freezer
 Icemaker
 Dishwasher
 Ceramic electric five-zone hob
 Extractor fan ducted externally
 Rubbish bin
 Data point (RJ45)
 Telephone point with 1 phone linked to PABX
 LED overhead lighting
 Lighting on underside of top-box lockers
 Air conditioning
 6 x double 220v AC sockets
 Doors to dining area and crew lobby

10 Main Deck Servery

Safety flooring
 Stone worktops
 Cabinets
 LED overhead lighting
 Air conditioning
 2 x double 220v AC sockets
 Doors to dining area
 Undercounter wine cooler
 Freestanding coffee machine

11 Day Head

Tecma toilet (220v)
 Washbasin and vanity top
 Mirror
 Taps
 Soap dispenser
 Toilet roll holder
 Towel ring
 Toilet brush and holder
 Halogen overhead lighting
 Extractor fan
 Stone floor
 Side window with blind

12 Main Deck Master Stateroom

Double berth with sprung mattress, pillows and bedspread
 Bedside cabinets
 Bedside lights
 Television (55") on bulkhead
 Entertainment system with DVD, CD and Bluray
 Upholstered chairs
 Full height glazing and curtains
 Dressing table
 Low back chair for dressing table
 Storage cabinets and drawers
 Escape hatch
 Fitted carpet
 Table lamps
 Data point (RJ45)
 Telephone point with Dect phone linked to PABX
 LED overhead lighting
 5 x double 220v AC sockets
 Air conditioning
 Doors to walk-in wardrobe, toilet room and main deck lobby

13 Main Deck Master Walk-in Wardrobe

Hanging space with rails
 Drawers for storage
 Safe deposit box
 Mirror on back of entrance door
 LED overhead lighting
 Fitted carpet

14 Main Deck Master Toilet Room

Tecma toilet (220v)
 Washbasin and vanity top
 Stone floor
 Side window with blind
 Extractor fan
 LED overhead lighting
 Taps
 Soap dispenser
 Towel ring
 Toilet roll holder
 Toilet brush and holder
 Door to en suite
 Robe Hook

15 Main Deck Master En Suite

- 2 x washbasins and vanity top
- Stone floor
- Storage lockers
- Mirrors
- Bath
- Shower cubicle with glass door
- Razor socket
- Extractor fan
- Air conditioning
- LED overhead lighting
- Taps
- Soap dispenser
- Toothbrush holder
- Towel rings x 2
- Robe hooks x 2
- Door to toilet room
- Laundry basket

16 Lower Deck Lobby

- Stairs leading from main deck
- Step lighting
- LED overhead lighting
- Fitted carpet
- Doors leading to guest cabins

17 Lower Deck Aft Port Stateroom

- Double berth with sprung mattress, pillows and bedspread
- Bedside cabinets
- Bedside lights
- Television (32")
- Entertainment system with DVD, CD and Bluray
- Fixed portlights with blind
- Dressing table
- Stool for dressing table
- Escape hatch
- Data point (RJ45)
- Telephone point with 1 phone linked to PABX
- LED overhead lighting
- 4 x double 220v AC sockets
- Air conditioning
- Fitted carpet
- Doors to walk-in wardrobe, en suite and lobby

18 Lower Deck Aft Port Walk-in Wardrobe

- Hanging space with rails
- Storage
- Safe deposit box
- Mirror on back of entrance door
- Halogen overhead lighting
- Fitted carpet

19 Lower Deck Aft Port En Suite

- Tecma toilet (220v)
- Washbasin and vanity top
- Stone floor
- Storage lockers
- Mirrors
- Shower cubicle with glass door
- Razor socket
- Portlight with blind
- Extractor fan
- Halogen overhead lighting
- Taps
- Soap dispenser
- Toothbrush holder
- Towel rails x 2
- Robe hooks x 2
- Toilet roll holder
- Toilet brush and holder
- Door to guest cabin

20 Lower Deck Aft Starboard Stateroom

- Double berth with sprung mattress, pillows and bedspread
- Bedside cabinets
- Bedside lights
- Television (32")
- Entertainment system with DVD, CD and Bluray
- Fixed portlights with blind
- Dressing table
- Stool for dressing table
- Escape hatch
- Data point (RJ45)
- Telephone point with 1 phone linked to PABX
- Halogen overhead lighting
- 4 x double AC sockets
- Air conditioning
- Fitted carpet
- Doors to walk-in wardrobe, en suite and lobby

21 Lower Deck Aft Starboard Walk-in Wardrobe

- Hanging space with rails
- Storage
- Safe deposit box
- Mirror on back of entrance door
- Halogen overhead lighting
- Fitted carpet

22 Lower Deck Aft Starboard En Suite

- Tecma toilet (24v)
- Washbasin and vanity top
- Stone floor
- Storage lockers
- Mirrors
- Stone seat within shower
- Razor socket
- Portlight with blind
- Extractor fan
- Halogen overhead lighting
- Taps
- Soap dispenser
- Toothbrush holder
- Towel rails
- Robe hooks
- Toilet roll holder
- Toilet brush and holder
- Door to guest cabin

23 Lower Deck Forward Port Guest Cabin

Two single berths with sprung mattresses, pillows and bedspreads
 Bedside cabinet
 Bedside lights
 Television (32")
 Entertainment system with DVD, CD & Bluray
 Fixed portlights with blind
 Wardrobe with hanging rail
 Safe deposit box
 Fitted carpet
 Escape hatch
 Data point (RJ45)
 Telephone point with 1 phone linked to PABX
 LED overhead lighting
 3 x double 220v AC sockets
 Air conditioning
 Doors to en suite and lobby

24 Lower Deck Forward Port En Suite

Tecma toilet (24v)
 Washbasin and vanity top
 Stone floor
 Storage lockers
 Mirrors
 Shower cubicle with glass door
 Razor socket
 Portlight with blind
 Extractor fan
 LED overhead lighting
 Taps
 Soap dispenser
 Toothbrush holder
 Towel rail
 Robe hook
 Toilet roll holder
 Toilet brush and holder
 Door to guest cabin

25 Lower Deck Forward Starboard Guest Cabin

Two single berths with sprung mattresses, pillows and bedspreads
 Bedside cabinet
 Bedside lights
 Television (32")
 Entertainment system with DVD, CD and Bluray
 Fixed portlights with blind
 Wardrobe with hanging rail
 Safe deposit box
 Fitted carpet
 Escape hatch
 Data point (RJ45)
 Telephone point with 1 phone linked to PABX
 LED overhead lighting
 3 x double AC sockets
 Air conditioning
 Doors to en suite and lobby

26 Lower Deck Forward Starboard En suite

Tecma toilet (220v)
 Washbasin and vanity top
 Stone floor
 Storage lockers
 Mirrors
 Shower cubicle with glass door
 Razor socket
 Portlight with blind
 Extractor fan
 LED overhead lighting
 Taps
 Soap dispenser
 Toothbrush holder
 Towel rails
 Robe hook
 Toilet roll holder
 Toilet brush and holder
 Door to guest cabin

27 Crew Lobby

Doors at top of stairs to main deck lobby and galley
 Staircase leading to lower deck crew cabins and crew mess
 Safety flooring
 LED overhead lighting
 Lower deck doors leading to crew cabins

28 Crew Mess

Safety flooring
 Stone worktop
 Cabinets and top-box lockers
 Fixed portlight with blind
 Crew chinaware, glassware and cutlery (6 settings) with stowage
 Data point (RJ45)
 Telephone point with 1 phone linked to PABX
 4 x double 220v AC sockets
 LED overhead lighting
 Air conditioning
 Sofa seating area
 Folding leaf dining table
 Television (32")
 DVD/CD player with two speakers
 VHF handset
 Depth and speed display

29 Aft Port Crew Cabin

Twin-bunk berths with foam mattresses, pillows and bedspread
 Wardrobe with hanging rail
 Fixed portlight with curtains
 LED overhead lighting
 Data point (RJ45)
 Telephone point
 AC 220v socket
 Air conditioning
 CD/radio with two speakers
 Escape hatch
 Fitted carpet
 Doors to en suite and lobby

30 Aft Port Crew En Suite

Tecma toilet (220v)
Washbasin
Lockers
Shower
Halogen overhead lighting
Razor socket
Extractor fan
Tap
Toothbrush holder
Toilet roll holder
Folding door to cabin with frosting

31 Aft Starboard Crew Cabin

Twin-bunk berths with foam mattresses, pillows and bedspread
Wardrobe with hanging rail
Fixed portlight with curtains
LED overhead lighting
Data point (RJ45)
Telephone point
AC socket
Air conditioning
CD/radio with two speakers
Escape hatch
Fitted carpet
Doors to en suite and lobby

32 Aft Starboard Crew En Suite

Tecma toilet (220v)
Washbasin
Lockers
Shower
LED overhead lighting
Razor socket
Extractor fan
Tap
Toothbrush holder
Toilet roll holder
Folding door to cabin with frosting

33 Forward Starboard Captain's Cabin

Large single berth with foam mattress, pillows and bedspread
Bedside cabinet
Bedside lights
Television (22")
DVD/CD with two speakers
Fixed portlight with curtains
Wardrobe with hanging rail
Safe deposit box
Fitted carpet
Escape hatch
Data point (RJ45)
Telephone point
LED overhead lighting
2 x double AC sockets
Air conditioning
Doors to en-suite and lobby

34 Forward Starboard Captain's En Suite

Tecma toilet (220v)
Washbasin and vanity top
Storage lockers
Mirrors
Shower
Razor socket
Extractor fan
LED overhead lighting
Tap
Soap dispenser
Toothbrush holder
Toilet roll holder
Toilet brush and holder
Folding door to cabin with frosting

35 Stern Laundry

Washing machine
Condensing tumble dryer
Overhead lighting
2 x double 220v AC socket
Telephone point
Non-slip safety flooring

36 Covers

Flybridge instrument cover
Flybridge helmseat covers
Wheelhouse helmseat cover
Foredeck sunpad cover
Aft cockpit fixed seating cover
Aft cockpit table cover
Flybridge fixed seating covers
Flybridge bar stool covers
Flybridge table covers
Interior dining table cover
Flybridge sundeck Cover
Foredeck table Cover

37 Miscellaneous

1 x set Egyptian cotton sheets consisting of, mattress protector, 1 x fitted bottom sheet, 1 x flat top sheet, 1 x Oxford style & 1 x Housewife pillowcase per person
1 x set of towels per person
10 x large fenders with ties
3 x 20m black docking lines
2 x 15m black docking lines
1 x 10m black docking line
Spares kit
Sunseeker boat mat
Mosquito screens for all openable portlights

38 Engine Compartment and Ancillaries

Bow thruster hydraulic control unit 63kW. Gearbox driven pumps 80cc (SAE 'C').
 (Note: When optional stern thruster is specified, system is designed for simultaneous use, producing 80% performance from each thruster when operated at the same time.)
 Power steering – hydraulic control unit with cooling pump – gearbox driven pumps (SAE 'C')
 Emergency steering – hydraulic
 Garage door and trim tabs hydraulic control unit – 24v
 Lifting platform hydraulic control unit – 400v AC
 Passerelle hydraulic control unit – 400v AC
 1 x watermaker (180 litres/47 US gals per hour)
 Emergency steering
 Oil exchange system
 Air intakes fitted with mist eliminator system & emergency shutdown flaps (automatically operated)
 Air extraction fans (AC) fitted with butterfly shutdown dampers
 Exhaust gas temperature sensor
 Inspection lamp
 Basic Toolbox
 Fluorescent lights (AC)
 Emergency lighting (DC)
 Simrad RS90 hand set with intercom speaker
 Fire alarm systems
 Fire hydrant system
 Engine room fire extinguishing system (FM200)
 Tender garage fire extinguishing system (FM200)
 AC/DC electrical outlets (double AC & 1 x 24v outlet)
 Power management system panel
 Maglite torch
 Manual submersible bilge pumps
 1 x AC fire pump
 Portable CO₂ fire extinguisher

39 Underwater Gear

Bow thruster – hydraulic engine driven (63kW)
 Seawater strainers – nickel plated bronze
 Full cathodic bonding system to zinc anodes
 Hydraulic trim tabs – stainless steel
 Propeller shafts – Marinemet 25 – Duplex F51 – high-grade stainless steel
 High performance rudders – AB2 nickel aluminium bronze
 P-brackets – AB2 nickel aluminium bronze c/w water lubricated bearing.
 Self aligning shaft seal including spare seal
 5-blade NAB bronze propellers

40 Fuel System

Fuel is stored in two dedicated tanks (1 x daily service tank and 1 x (optional) main tank) integral with hull structure complete with permanently open vent lines (note: all tanks should not be filled above 95%)
 Main engines and generators draw and return from fittings on the day tank located within the engine room
 Bunkering to both tanks through individual filling stations, port and starboard each fitted with a 2" fitting for filling and venting
 Fuel level indication – displayed at main helm and flybridge
 Accurate fuel monitoring via tank volume computer with digital bar-graph display at main helm and analogue indication at flybridge
 Warning lights indication at 75% & 95% at fuel filling station
 Each tank fitted with two capacitance level probes c/w NMEA 2000 communication bus
 Accurate measurement for fuel levels can be taken when underway at speeds up to 12 knots before running trim will adversely affect the accuracy of the readings
 Fuel piping (engine room) – press fit type stainless steel & zinc-plated steel with Parker high temperature rubber hose (single wire reinforcement) for short lengths
 Fuel piping (all areas outside the engine room) ISO 7840 fuel hose except fuel transfer line
 Emergency fuel shut-off valves to main engines and generators – located on tank hatch. Valves remotely operated and actuated from the fire control locker with local manual override

41 Systems

Hydraulic power steering
 Electric toilet system with integral macerator (240v) with two-switch control
 Toilets discharging overboard or to black water tank
 Black water tank discharging to dockside or overboard
 Integral fresh water tank with electric sending unit
 Integral GRP fuel tank with electric sending unit
 Water pressure system (400v 3 phase 50Hz)
 Hot water tank x 2 at 200 litre each (with 3 x 2kW immersion heaters)
 Hot water circulating pump AC 220v
 Washbasins, showers and air conditioning fan coils to drain to grey water tank
 Grey water tank discharging overboard or to black water tank
 Chilled water air conditioning system (reverse cycle) AC 220v
 Bilge pumping system (400v 3 phase 50Hz)
 Manual/automatic fire extinguishing system combined with engines, generators and fans shutdown
 Auxiliary hydraulics for trim tabs and platform (24v)

42 Electrical System

Vessels for all markets will be specified with 230/400 Volts 50Hz ac 3 phase power supplies and equipment. Vessels entering the United States markets will be supplied with additional equipment to provide the necessary 120V 60Hz single phase supplies for power receptacles and AV systems.
 2 x 55kW 400/230V 3 phase 50Hz generators with underwater silent exhaust and sound shield
 Tijssen Marine Personal Assistance touch screen based control system which facilitates control and monitoring of all the main ship systems including but not limited to, tank levels, alarms and monitoring, pump control, bilge status and all electrical load management.
 75 kVA shore power converter
 Two dockside AC 100A connection. One power assisted cable retrieval system and one loose cable.
 Semi-automatic AC power distribution
 24v DC electrical system with full circuit-breaker protection
 Starter batteries 24v circuit
 Domestic batteries 24v circuit
 Independent battery back-up for VHF radio
 Automatic battery charge distribution
 Remote battery switches controlled from aft cockpit locker
 2 x domestic service battery charger for 24v circuits
 2 x engine battery charger for 24v circuits
 1 x emergency battery charger
 1 x radio battery charger
 3 x 2kW immersion heaters for calorifier
 AC sockets throughout the boat
 24v hand light and cable
 Class approved fire detection system with sensors in all cabins and monitoring beside main helm position
 PABX telephone exchange system with telephone hand sets



116 YACHT SPECIFICATION DOCUMENT

Disclaimer

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the website are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however, by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.