



PRINCIPAL CHARACTERISTICS

Classification	RINA "Rules for the Classification of Pleasure Yachts 2013"	
Length overall – (incl. pulpit and platform)	28.06m	92' 1"
Beam – (maximum)	6.55m	21' 6"
Draft @ full load – (incl. props)	2.12m	6' 11"
Displacement – (@ normal half load)	82,800kg	182,428 lbs
Fuel capacity	12,000 litres	3,170 US gal.
Fresh water capacity	1,750 litres	462 US gal.
Black water capacity	435 litres	115 US gal.
Grey water capacity	1,000 litres	264 US gal.
Propulsion	Twin fixed-pitch submerged propellers in semi-recessed tunnels	
Engine options	up to 3900PS (total)	
Fuel options	Diesel	
Maximum speed	28 knots*	
Cruising speed	24 knots*	
Range	440 nautical miles @ Cruising speed*	
	Over 1000 nautical miles @ 10 knots*	

1 Construction

Hand-laid GRP
Gel coat including stripes
Vinylester skin coat with powderbound mat
Stitched multi-axial reinforced single-skin bottom
Balsa-cored hull topsides
PVC foam-cored deck and superstructure
Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors

2 Flybridge

Self-draining cockpit
Acrylic deflecting spray screen
Seating areas
Storage lockers under seating
Teak dining table (natural finish) with stainless steel pedestal
Stainless steel aft safety rails
Glass holders
Wetbar unit
Sink in wetbar unit
Icemaker in wetbar unit
Fridge in wetbar unit
Ceramic electric griddle in wetbar unit
Fire extinguisher in wetbar locker
Deckwash outlet
Low-level flybridge LED lighting (24v)
Radar arch structure
Radar chair with navigation light assembly
Overhead LED lighting on underside of radar arch (24v)
Four marine speakers controlled via Sonos
Teak decking
Ensign staff and socket

3 Flybridge Helm

Two helm seats
Hydraulic steering
Duplicate engine controls
Analogue engine instrumentation
Autopilot repeater
Radar/chart plotter with GPS repeater
Depth and speed multi display
Cm8 Monitoring System Display
Fuel Display
VHF second station
Remote spotlight control
Magnetic compass
Trim tab control
Horn control
Waterproof plug and socket 12v
Waterproof USB charger outlet

4 Deck

Teak decking
Fittings all in 316 stainless steel and chromed bronze
Pair stainless steel bow mooring bollards and fairleads
Stainless steel spring cleats
Pair stern mooring bollards and fairleads
Stainless steel pulpit and cockpit rails
Stainless steel bow roller with anchor stop and devil's claw
Single electric windlass 24v, starboard side, foredeck control only
Anchor 100kg claw-type (galvanised)
Anchor chain 100 metres (12mm diameter, galvanised)
Stainless steel bow plate
Deckwash with outlets forward and aft
Chain locker
Curved direct glazed safety glass windscreen
Pantograph windscreen wipers and washers
Fresh-water filler
Fuel fillers port and starboard with display
IMCO navigation lights
Remote controlled spotlight at bow
Low-level courtesy LED lights on side decks (24v)
U-shaped bow seat
Bow teak table (natural finish) on pedestal
Large bow sunbed
Glass holders

5 Aft Cockpit

Teak decking
Self-draining
Stairs to flybridge with teak treads
Aft fixed U-shaped bench seating
Teak table (natural finish) on stainless steel pedestal
Stern safety gates
Engine room access hatch
2 x stern capstan winches 24v and fairleads
Overhead cockpit LED lights (24v)
Low-level courtesy LED lights (24v)
Two marine speakers controlled via Sonos
Wetbar unit
Sink in wetbar unit
Icemaker in wetbar unit
Refrigerator in wetbar unit
Fire extinguisher in wetbar locker

6 Bathing Platform

Teak decked hydraulic lifting bathing platform (maximum lifting capacity 650kg/1433lb, maximum tender weight 550kg/1212lb)
Stairs to aft cockpit with teak decking treads
Stern spring cleats for stern-to mooring purposes
Foldout stainless steel swimming ladder
Hot and cold hand-held swimming shower
Fresh-water marina connection
Ethernet network connection
Large transom storage lockers
Access to crew quarters
Dockside AC connection
5m hydraulic telescopic passerelle

7 Covers

Windscreen sun screen
Flybridge instrument cover
Aft cockpit camper cover with windows

8 Saloon and Dining

Stainless steel framed sliding door to aft cockpit
Sliding door curtains with tie back
Sofa seating
Coffee table
Scatter cushions
Television (55") on rise and fall
Blue-ray/CD/radio surround sound system with five speakers and sub-woofer
Sonos audio system
Air conditioning
Side windows with blinds
Drinks cabinet with glassware stowage for eight (10 x champagne, 10 x whisky, 1 x decanter)
LED overhead lighting (24v)
Double AC sockets
Sensor connected to fire detection system
Telephone point
1 x table lamp
Dining table
8 x freestanding dining chairs
Storage cupboards
Fitted carpet
Access to galley
Access to master stateroom
Access to day head
Stairs leading to guest cabins

9 Galley

American style fridge/freezer with ice maker
4-ring ceramic hob
Hob extractor
Convection oven
Microwave oven
Full size dishwasher
Stainless steel sink
Hot and cold water
Rubbish bin
Crockery set (10 place settings)
Cutlery set (10 place settings)
Side window with blind
Storage consisting of cupboards and drawers
LED overhead lighting (24v)
LED lighting under top box lockers (24v)
Double AC sockets
Sensor connected to fire detection system
Air conditioning
Fire blanket
Fire extinguisher
First aid kit
Manual side opening door to access port side deck
Access to dining and saloon

10 Main Helm Console and Observation Area

1 x upholstered helm seats with electric operation
Console with gloss black fascia panels
Hydraulic power steering
Leather bound steering wheel
Radar/chart plotter with GPS
Autopilot
Depth and speed displays
VHF radio first station
Magnetic compass
Horn control
Switch panels
Remote spotlight control
Trim tab controls
Digital engine instrumentation
Cm8 Monitoring System Display
Fuel Display
12V Socket Outlet
USB Charger Outlet
Double AC sockets
LED overhead lighting (24v)
Monitoring panel for fire detection system
Windscreen wiper and washer controls synchronized and multi speed
Air conditioning
Screen demister
Sofa observation seat
Chart stowage area
Glass holder
Fire extinguisher

11 Day Head

Toilet
Granite floor
Washbasin
Tap & accessories (toilet roll holder, soap dispenser, towel ring)
Mirror
Extractor fan
LED overhead lighting (24v)

12 Main Deck Master Stateroom

Panoramic side window
Double berth with foam mattress
Storage beneath berth
Drawers within berth
Bed side drawer units
Bedside wall lights 24v
Vanity/office desk with shelves
Desk stool
Settee with removable tray
Air conditioning
Television (55") on bulkhead
Blu-ray/CD/radio surround system with two speakers and sub-woofer
Sonos audio system
LED overhead lighting (24v)
Double AC socket
Fitted carpet
Sensor connected to fire detection system
Stairs leading to dressing room and en suite

13 Master Stateroom Dressing Room

Hanging rails
Shelves
Dressing table
Stool for dressing table
LED overhead lighting (24v)
AC socket
Fitted carpet

14 Master Stateroom En Suite

Toilet
Granite flooring
Large twin washbasin
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)
Separate shower compartment
Glass shower door
Extractor fan
Air conditioning outlet
Mirror
Storage cupboard
LED overhead lighting (24v)
Opening porthole with mosquito screen and Venetian blind
Shaver socket 240/110v

15 Lower Deck Lobby

Stairs leading down from main deck saloon area
LED overhead lighting 24v
AC socket
Fitted carpet
Sensor connected to fire detection system
Doors leading to lower deck guest accommodation

16 Midships VIP Stateroom (4 Cabin layout)

If 5 Cabin layout then this cabin is replaced with two cabins as per item 19 to 21.

Double berth with foam mattress
Drawers within berth
Bedside units with drawers
Bedside wall lights 24v
Dressing table
Stool for dressing table
Settee
Air conditioning
LED overhead lighting (24v)
Panoramic window sets with round opening portlights (with mosquito screens)
Double AC sockets
Television (40") on bulkhead
Blu-ray/CD/radio surround system with two speakers and sub-woofer
Sonos audio system
Sensor connected to fire detection system
Fitted carpet
Doors to en suite and walk-in wardrobe

17 Midships VIP Walk-in Wardrobe

Hanging rails
Drawers
Shelves
LED overhead lighting (24v)
AC socket
Fitted carpet
Door to stateroom

18 Midships VIP En Suite

Toilet
Granite flooring
Large washbasin
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)
Separate shower compartment
Glass shower door
Extractor fan
Air conditioning outlet
Mirror
LED overhead lighting (24v)
Opening porthole with mosquito screen and Venetian blind
Shaver socket 240/110v
Door to stateroom

19 Aft Starboard Twin Guest Cabin

Twin berths with foam mattresses
Under berth stowage
2 x reading lights 24v
Wardrobe
Air conditioning
LED overhead lighting (24v)
Panoramic window sets with round opening portlights (with mosquito screens)
Double AC socket
Sensor connected to fire detection system
Television (32")
Blu-ray/CD/radio surround system with two speakers and sub-woofer
Sonos audio system
Fitted carpet
Doors to en suite and lobby

20 Aft Starboard En Suite

Toilet
Granite flooring
Washbasin
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)
Separate shower compartment
Glass shower door
Extractor fan
Air conditioning outlet
Vanity unit
LED overhead lighting (24v)
Opening porthole with mosquito screen
Shaver socket 240/110v
Door to guest cabin

21 Aft Port Twin Guest Cabin

Twin berths with foam mattresses (or Double)
Under-berth stowage
2 x reading lights 24v
Wardrobe
Air conditioning
LED overhead lighting (24v)
Organic panoramic window sets with round opening portlights (with mosquito screens)
Double AC socket
Sensor connected to fire detection system
Television (32")
Blu-ray/CD/radio surround system with two speakers and sub-woofer
Sonos audio system
Fitted carpet
Doors to en suite and lobby

22 Aft Port Twin En Suite

Toilet
 Granite flooring
 Washbasin
 Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)
 Separate shower compartment
 Glass shower door
 Extractor fan
 Air conditioning outlet
 Vanity unit
 LED overhead lighting (24v)
 Opening porthole with mosquito screen
 Shaver socket 240/110v
 Door to guest cabin

23 Aft Crew Mess

Access door from stern
 Sink with tap
 Worktop with undercounter storage
 Air conditioning
 Microwave
 Undercounter fridge
 AC sockets
 Washer/dryer AC
 Telephone point
 Sensor connected to fire detection system
 LED overhead lighting (24v)
 Seating area
 Table
 Television 22"
 DVD/CD/radio with two speakers
 Cm8 monitoring system display
 Non-slip safety flooring
 Doors to crew cabins and crew toilet/shower
 Watertight door to Engine Room

24 Port Crew Cabin

Twin fixed Pullman bunk berths with foam mattresses
 Reading lights 24v
 Air conditioning
 Wardrobe
 LED overhead lighting (24v)
 Double AC socket
 Sensor connected to fire detection system
 CD/radio with two speakers
 Fitted carpet
 Opening porthole with mosquito screen and curtains
 Door to crew mess

25 Starboard Crew Cabin

Twin fixed Pullman bunk berths with foam mattresses
 Reading lights 24v
 Air conditioning
 Wardrobe
 LED overhead lighting (24v)
 Double AC socket
 Sensor connected to fire detection system
 CD/radio with two speakers
 Fitted carpet
 Opening porthole with mosquito screen and curtains
 Door to crew mess

26 Crew Toilet & Shower

Toilet
 Washbasin
 Shower cubicle
 Mirror
 Vanity unit
 LED overhead lighting (24v)
 Shaver socket 240/110v
 Door to crew mess

27 Engine Compartment and Ancillaries

Fuel filters/water separators to engines and generators
 Generator exhaust silencers and water separators
 Hot water tank – 200 Lt 230v AC
 Engine exhaust dry risers with water injection
 Central hydraulic system providing hydraulic power for Bow thruster, stern thruster (if specified), stabilisers (if specified).
 Chilled water air conditioning system (reverse cycle) AC
 Air intakes fitted with mist eliminator system & emergency shutdown flaps
 Air extraction fans 230v AC fitted with butterfly shutdown dampers
 Fresh water pressure set - 230v AC
 Fire hydrant system (single outlet) – 230v AC
 Bilge pumps – 24v DC (automatically operated)
 Engine driven hydraulic power pack – providing power steering
 Electro/hydraulic power pack – 24v DC controlling trim tabs, and bathing platform.
 Fixed firefighting system – FM200 – Automatic/Manual operation with engines, generators and fans shutdown
 Fixed firefighting system – FM200 – Manual operation
 Portable CO2 fire extinguisher
 Soundproofing throughout

28 Electrical System

3 x 20kW @ 50Hz slowspeed generators with underwater silent exhaust and sound shield
 Generator load sharing and synchronizing system
 100A Dockside AC connection
 Voltage Regulating isolation transformer
 63A Second shore supply connection
 Semi-automatic AC power distribution
 24v DC electrical system with full circuit-breaker protection
 8 x starter batteries 24v circuit
 2 x generator batteries 12v circuit
 6 x domestic batteries 24v circuit
 Independent battery back-up for VHF radio
 Automatic battery charge distribution
 Remote battery switches controlled from aft cockpit locker
 2 x Battery charger/inverter for 24v circuits
 1 x Battery charger/inverter for 12v circuits
 1 x Battery charger for VHF 12v System
 1 x Inverter system
 3 x 2kW immersion heaters for calorifier
 AC sockets throughout the boat
 Class approved fire detection system with sensors in all cabins and monitoring beside main helm position
 Ethernet data network with WiFi access throughout the boat

29 Underwater Gear

5-blade Nickel aluminium bronze propellers
 P-brackets – AB2 Nickel Aluminium bronze c/w water lubricated bearing
 Propeller shafts – Duplex F51 – high-grade stainless steel
 Self-aligning shaft seal with spare seal
 High performance rudders – Nibral
 Full cathodic bonding system to zinc anodes
 Hydraulic trim tabs – stainless steel
 Antifouling



30 Systems

Electric toilet system with integral macerator 230v AC with two-switch control
Toilets discharging to a 435 Lt black water tank
Black water tank discharging to a shore side facility or by a 24v DC macerating pump directly overboard
Fresh water stowed in a Integral 1750 Lt fresh water tank with Cm8 monitoring system
Water pressure system 230v AC
Hot water tank – 200 Lt 230v AC
Hot water circulating pump 220v AC
Grey water transfer units transfer grey water into the 1000 Lt grey water tank
Grey water tank discharging by a 24v DC pump directly overboard
Chilled water air conditioning system (reverse cycle) AC
Each area/cabin shall have room mounted variable speed AU HV air handling units
Bilge pumps – 24v DC (automatically operated)
Fixed firefighting system – FM200 – Automatic/Manual operation with engines, generators and fans shutdown
Fixed firefighting system – FM200 – Manual operation
Integral GRP fuel tank with two open vent lines and Cm8 monitoring system
Fuel filters/water separators to engines and generators
Central hydraulic system providing hydraulic power for Bow thruster, stern thruster (if specified), stabilisers (if specified).
Electro/hydraulic power pack – 24v DC controlling trim tabs, and bathing platform
Engine driven hydraulic power pack – providing power steering

31 Miscellaneous

Retractable boat hook
6 x docking lines (6 x 15 metre, 20mm diameter, black)
1 x tender line (1 x 10 metre, 10mm diameter, black)
8 x fenders (F7, 15" x 41", white)
8 x fender ties (8 x 3.5 metre, 10mm diameter, black)
Flagstaff with line
Pennant mast with pennant flag
Mosquito screens for openable portlights
Small toolkit in case
12 x towel sets
First aid kit
Fire blanket
Leather cleaning kit
Lead lamp
Deckwash fitting and hose reel
Portable fire extinguishers

Disclaimer

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the website are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however, by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.

